



T-Moldings • Reducers • Base Products • Stair Nosings • Stair Treads • Thresholds

# Perfect Fit. Perfect Finish.



Since 1873, Seneca Millwork has been manufacturing premium hardwood products. Drawing from the knowledge and skills of a long heritage of craftsmen, we have also integrated today's best technology and advancements into our manufacturing processes. This combination of craftsmanship and technology results in a full range of premium crafted solutions—standard or custom—for your hardwood transition needs.

Our strong commitment to quality is evident at every step of our production process from raw material purchasing of the finest quality hardwoods, to milling, color development, finishing, packaging and delivery. Our production process results in efficiency, flexibility, precision manufacturing and quality products unsurpassed in the industry. Our employees' skills and techniques ensure that our customers receive transitions with a *perfect fit, perfect finish*. This is part of our Signature Craftsmanship approach to every product we offer and every service we provide.

## SUSTAINABILITY



CERTIFIED BY  
SCS Global Services

Seneca Millwork is a well-established family-owned business with a quality product that bridges the past and the future. Our commitment to making a positive impact on the environment is a conscious part of our company practices. Our wood products are FloorScore® certified—meaning healthier, cleaner indoor air quality. Seneca's flooring products have been independently certified by SCS to comply with the VOC emissions criteria of the California Section 01350 Program. Our products contribute to multiple LEED, Green Globes and WELL building rating system credits, with low-emitting certifications, waste reuse practices, and continuous improvement in operations' sustainability.

FSC® (Forest Stewardship Council®) certification ensures that wood products come from responsibly managed forests that provide environmental, social and economic benefits. Seneca has the capability to source FSC lumber for our customers' projects.



The mark of  
responsible forestry



## PACKAGING & SHIPPING

At Seneca we use superior products throughout our processes. This approach is even implemented in the packaging and shipping departments where each individual piece is shrink-wrapped and labeled to help protect it during shipping and delivery. We utilize five-panel corrugated cardboard boxes, custom built pallets that fit to material size, and wrap our products in protective material. This unique combination helps provide a sound and secure shipment every time.

## ON TIME DELIVERY

Seneca is the industry leader in on-time promised performance. Even with products involving multi-step treatments—like sculpting, distressing, wire brushing, glazing, multi-colored floors and more—we ship the day we promise. When you place an order with our customer service team, your trim will be shipped as soon as possible and on time.



# Flexible Moldings



SignatureFlex™, our flexible moldings products line, is designed for curved architecture and flooring applications. It is the perfect companion to our quality hardwood transitions. Manufactured out of polyurethane material, they provide a strong, durable, cost effective alternative to custom wood applications. SignatureFlex products are water resistant and will not rot or swell, unlike wood products that are susceptible to those issues when exposed to moisture.



SignatureFlex can be ordered either straight or pre-curved. Straight moldings have some flexibility limitations so pre-curved moldings may be the best solution for your tight radius applications. Flexibility depends upon several factors—size, shape, direction it will be bent, and application. Pre-curved moldings for tight curves remain flexible and will be adjustable for minor variations. Pre-curling requires a template and will be quoted as a special order.

All profiles are sold unfinished and can be painted or gel-stained and finished after installation. Finishing after installation prevents the coating from fracturing due to flexing of the product. The flexible moldings can also be cut, fitted and fastened in the same manner as real wood, and can be used inside or outside.

- Standard length is 12'
- Sold unfinished; can be painted or gel-stained and finished after installation
- Smooth or wood-textured surface options
- Packaged in coils
- No minimum order size
- Contact customer service for additional information or visit [signatureflex.com](http://signatureflex.com)



# Reducers



Reducers provide a smooth transition between floors of different heights, often being used between wood floors and thinner floor coverings such as vinyl, tile or low pile carpet.

- Standard length is 78"
- Available for multiple flooring thicknesses
- Custom fit to a customer's floor
- Styles include flush reducers (for nail or glue-down flooring) and overlap reducers (for floating floor applications)



# T-moldings

T-moldings are transitions that cover the narrow gap between two hard surface floors of the same height.


- Standard length is 78"
- Styles include standard and long-stem t-moldings



# Thresholds

Thresholds are designed for the transition between floors of different heights. They can be used with hardwood flooring, tile or carpeted surfaces. They are frequently used where wood flooring meets plush carpeting in doorways and other areas.

- Standard length is 78"
- Styles include standard and long stem thresholds





# Quarter Round & Base Shoe

Quarter round and base shoe create a subtle transition between hardwood flooring and a wall or other vertical structure, and are used to cover the necessary expansion space between them. They are frequently used in conjunction with baseboard.

- Standard length is 78"
- Quarter round is  $\frac{3}{4}$ " high x  $\frac{3}{4}$ " wide
- Base shoe is  $\frac{3}{4}$ " high x  $\frac{1}{2}$ " wide



# Stair Nosings

Stair nosings are used on the front edge of a step when flooring is used to cover stairways. They are designed to take the brunt of foot traffic. Stair nosings can either fit flush with the flooring for a seamless transition, or overlap the flooring slightly.

- Standard length is 78"
- Available for multiple floor thicknesses
- Custom fit to a customer's floor
- Styles include flush (for nail or glue down flooring, or in stair tread installation) and overlap stair nosings (for floating floors or certain other applications)



# Stair Treads & Risers

Stair treads are available in a wide variety of styles, species and finishes. Risers form the vertical face of each step and provide a seamless coordinating transition between the steps.

- Standard stair tread lengths range from 36" to 96" and are 1-1/16" thick and 11-1/2" deep
- Only two to three glue lines per tread
- Nosing styles include square edged or bull nosed
- Available tread styles include single or double returns; as well as radius returns for starter steps
- Hand-finished with a durable polyurethane top coat
- Standard risers are 3/4" thick and 7-1/2" high



## Baseboards

Baseboard is crafted to make a decorative transition between the floor and walls, covering the flooring expansion space between them.

- Standard length is 78"
- Styles include 7/16" and 9/16" thick Colonial base, 7/16" thick Streamline base, and Roll-up base



### CUSTOM PRODUCTS

We make custom profiles if our customers do not find the transition profile needed among our standard selections that can be viewed online at [senecamillwork.com](http://senecamillwork.com). Contact us regarding custom length products as availability may depend on individual species length limitations. Small orders of custom products may require an additional charge due to time and production scheduling requirements.



# Real Character

Seneca stocks a wide selection of domestic and exotic raw lumber and is skilled at sourcing wood globally. Contact customer service for information on the availability of exotic wood species and sourcing FSC® lumber.

All species typically have their own particular variation in color and texture that should be considered when selecting and ordering raw material. We believe the beauty of authentic hardwood products lies in the natural variations of color and grain that give every piece its individual charm. Because finish colors and stains take differently to inherent wood characteristics, some natural light and dark areas may result.

All of our hardwood products are available unfinished or prefinished to coordinate with the color and appearance of a customer's flooring product. Seneca uses environmentally responsible materials with minimal VOCs—from our water based stain solutions containing organic compounds, to our water based polyurethane and 100% solid UV coatings. All prefinished material undergoes a finishing procedure that provides multi-step processes to ensure a durable finish with perfect appearance and lasting protection. Our multiple state-of-the-art finish systems allow us to be very flexible and responsive to short lead times.



## SPECIALTY FINISHES

Hardwood flooring is available in a large variety of special textures and designs that capture timeworn charm—such as distressed, sculpted, wire brushed and antiqued finishes. To match these character floors, Seneca offers a full line of coordinating transitions for these one-of-a-kind flooring styles. Our special finishes are crafted for a unique and beautiful appearance.

## COLORMASTER SYSTEM

At Seneca, we work together with our customers to ensure our transitions are the perfect accessory to their flooring selection. We utilize an exclusive ColorMaster System to meet customers' specifications, and have over 8,000 ColorMasters on file for many popular hardwood flooring brands and colors.

If a new ColorMaster needs to be created, customers can send wood flooring samples—showing a good range of color—to our color lab department where the species, stain and finish can be coordinated with the flooring.

A ColorMaster folder is returned to the customer for approval or their requested adjustments with specifics as to what the required changes are. This method provides a consistent complement to the customer's flooring, and when dealing with a natural product, there is no better way to attain color quality and accuracy.



# ROPPE HOLDING COMPANY

**A part of the RHC family of brands.**

Seneca Millwork, Inc. is a member of the Roppe Holding Company family of brands, based in the USA. Roppe Holding companies have a proven history of producing quality flooring products and providing superior customer service from family-owned and operated businesses.

We believe in building strong, trusted relationships with our business partners.

# SENECA

Perfect Fit. Perfect Finish.

For more information contact customer service:  
800-228-6671 or [sales@senecamillwork.com](mailto:sales@senecamillwork.com)

300 Court Place | PO Box 429 | Fostoria, OH 44830  
800-228-6671 | 419-435-6671  
fax 419-435-5688

[senecamillwork.com](http://senecamillwork.com)

